

CATALOGUE

# Megalight



COMMERCIAL LIGHTING

# 01 Track Spotlight

P11



U-T232-COB3



U-T232-COB4



U-T232-COB5



U-T089-COB1



U-T089-COB2



U-T089-COB3



U-T089-COB4



U-T089-COB1S



U-T089-COB2S



U-T089-COB3S



U-T089-COB4S



U-T221-COB1



U-T221-COB2



U-T221-COB3



U-T221-COB4



U-T221-COB1S



U-T221-COB2S



U-T221-COB3S



U-T221-COB4S



U-T222-COB1



U-T222-COB2



U-T222-COB3



U-T222-COB4



U-T222-COB1-2



U-T222-COB2-2



U-T222-COB3-2



U-T222-COB4-2



U-T213-COB2-2



U-T213-COB3-2



U-T213-COB2-3




U-T213-COB3-3

## 02 COB Down Light

P29



U-D270-COB3 U-D270-COB4 U-D270-COB5



U-D272-COB3 U-D272-COB4 U-D272-COB5



U-D271-COB3 U-D271-COB4 U-D271-COB5



U-D117-COB1 U-D117-COB2 U-D117-COB3



U-D113-COB3 U-D113-COB4

## 03 SMD Downlight

P35



U-D126-SMD4 U-D126-SMD6 U-D126-SMD8




U-D151-SMD2.5 U-D151-SMD4 U-D151-SMD6 U-D151-SMD8




U-D026-SMD2.5 U-D026-SMD3 U-D026-SMD4 U-D026-SMD5



U-D026-SMD6 U-D026-SMD8



U-D026-SMD2.5S U-D026-SMD3S U-D026-SMD4S U-D026-SMD5S



U-D026-SMD6S U-D026-SMD8S

## 04 Wall Washer

P41



U-D268-COB3 U-D268-COB4 U-D268-COB5



U-D274-COB3 U-D274-COB4 U-D274-COB5




U-D125-COB2-6W U-D125-COB2-10W U-D262-COB4 U-D263-COB4

## 05

### Grille Light

P49




U-D269-COB3



U-D269-COB3-2




U-D269-COB3-3



U-D269-COB4



U-D269-COB4-2



U-D269-COB5



U-D269-COB5-2

## 06

### Adjustable Spotlight


P51



U-D001-COB4



U-D001-COB6



U-D080-COB3



U-D080-COB4



U-D080-COB5



U-D080-COB6

## 07

### Surface Mounted

P53



U-D089-COB1



U-D089-COB2



U-D089-COB3



U-D089-COB4



U-D089-COB1S



U-D089-COB2S



U-D089-COB3S



U-D089-COB4S



U-D088-COB1



U-D088-COB2



U-D088-COB3



U-D088-COB4



U-D088-COB1S



U-D088-COB2S



U-D088-COB3S



U-D088-COB4S



U-D273-COB4



U-D273-COB5



U-D273-COB6



U-D275-COB4



U-D275-COB5



U-D275-COB6



U-D088-COB1-X



U-D088-COB2-X




U-D088-COB3-X



U-D088-COB4-X



U-D088-COB1S-X



U-D088-COB2S-X



U-D088-COB3S-X




U-D088-COB4S-X




U-D088-COB1-P/L U-D088-COB2-P/L U-D088-COB3-P/L U-D088-COB4-P/L



U-D088-COB1S-P/L U-D088-COB2S-P/L U-D088-COB3S-P/L U-D088-COB4S-P/L




U-D212-COB2 U-D212-COB3 U-D212-COB4 U-D212-COB5



U-D212-COB2-2 U-D212-COB3-2 U-D212-COB2-3 U-D212-COB3-3

## 08 Linear Light


P77



U-D107-24PM



U-D107-24PM-X



U-D107-42P



U-D107-42P-X

Megalight



## U-T232-COB Track Light























			W	K	Lm	CRI	mA	V
U-T232-COB3	WT   BK		10W	3000K	937	80	250	36
U-T232-COB3	WT   BK		10W	4000K	945	80	250	36
U-T232-COB3	WT   BK		10W	5000K	952	80	250	36
U-T232-COB4	WT   BK		20W	3000K	1927	80	500	36
U-T232-COB4	WT   BK		20W	4000K	1941	80	500	36
U-T232-COB4	WT   BK		20W	5000K	1950	80	500	36
U-T232-COB5	WT   BK		30W	3000K	2469	80	700	36
U-T232-COB5	WT   BK		30W	4000K	2482	80	700	36
U-T232-COB5	WT   BK		30W	5000K	2490	80	700	36







## U-T089-COB Track Light




			W	K	Lm	CRI	mA	V
U-T089-COB1	WT   BK		7W	3000K	430	80	150	36
U-T089-COB1	WT   BK		7W	4000K	435	80	150	36
U-T089-COB1	WT   BK		7W	5000K	443	80	150	36
U-T089-COB2	WT   BK		12W	3000K	795	80	300	36
U-T089-COB2	WT   BK		12W	4000K	799	80	300	36
U-T089-COB2	WT   BK		12W	5000K	806	80	300	36
U-T089-COB3	WT   BK		20W	3000K	1579	80	500	36
U-T089-COB3	WT   BK		20W	4000K	1586	80	500	36
U-T089-COB3	WT   BK		20W	5000K	1593	80	500	36
U-T089-COB4	WT   BK		30W	3000K	2310	80	700	36
U-T089-COB4	WT   BK		30W	4000K	2314	80	700	36
U-T089-COB4	WT   BK		30W	5000K	2320	80	700	36

Customized Length for Lamp Pole Is Available









## U-T089-COBS Track Light




	W	K	Lm	CRI	mA	V
U-T089-COB1S   WT   BK	7W	3000K	439	80	150	36
U-T089-COB1S   WT   BK	7W	4000K	443	80	150	36
U-T089-COB1S   WT   BK	7W	5000K	448	80	150	36
U-T089-COB2S   WT   BK	12W	3000K	802	80	300	36
U-T089-COB2S   WT   BK	12W	4000K	809	80	300	36
U-T089-COB2S   WT   BK	12W	5000K	815	80	300	36
U-T089-COB3S   WT   BK	20W	3000K	1575	80	500	36
U-T089-COB3S   WT   BK	20W	4000K	1580	80	500	36
U-T089-COB3S   WT   BK	20W	5000K	1588	80	500	36
U-T089-COB4S   WT   BK	30W	3000K	2118	80	700	36
U-T089-COB4S   WT   BK	30W	4000K	2122	80	700	36
U-T089-COB4S   WT   BK	30W	5000K	2129	80	700	36







Customized Length for Lamp Pole Is Available




## U-T221-COB Track Light








			W	K	Lm	CRI	mA	V
<b>U-T221-COB1</b>	WT   BK		7W	3000K	436	80	150	36
<b>U-T221-COB1</b>	WT   BK		7W	4000K	445	80	150	36
<b>U-T221-COB1</b>	WT   BK		7W	5000K	448	80	150	36
<b>U-T221-COB2</b>	WT   BK		12W	3000K	796	80	300	36
<b>U-T221-COB2</b>	WT   BK		12W	4000K	780	80	300	36
<b>U-T221-COB2</b>	WT   BK		12W	5000K	807	80	300	36
<b>U-T221-COB3</b>	WT   BK		20W	3000K	1581	80	500	36
<b>U-T221-COB3</b>	WT   BK		20W	4000K	1588	80	500	36
<b>U-T221-COB3</b>	WT   BK		20W	5000K	1595	80	500	36
<b>U-T221-COB4</b>	WT   BK		30W	3000K	2312	80	700	36
<b>U-T221-COB4</b>	WT   BK		30W	4000K	2316	80	700	36
<b>U-T221-COB4</b>	WT   BK		30W	5000K	2322	80	700	36



## U-T221-COBS Track Light









	W	K	Lm	CRI	mA	V
U-T221-COB1S   WT   BK	7W	3000K	435	80	150	36
U-T221-COB1S   WT   BK	7W	4000K	439	80	150	36
U-T221-COB1S   WT   BK	7W	5000K	444	80	150	36
U-T221-COB2S   WT   BK	12W	3000K	788	80	300	36
U-T221-COB2S   WT   BK	12W	4000K	793	80	300	36
U-T221-COB2S   WT   BK	12W	5000K	805	80	300	36
U-T221-COB3S   WT   BK	20W	3000K	1577	80	500	36
U-T221-COB3S   WT   BK	20W	4000K	1584	80	500	36
U-T221-COB3S   WT   BK	20W	5000K	1591	80	500	36
U-T221-COB4S   WT   BK	30W	3000K	2108	80	700	36
U-T221-COB4S   WT   BK	30W	4000K	2112	80	700	36
U-T221-COB4S   WT   BK	30W	5000K	2118	80	700	36



## U-T222-COB Track Light




		W	K	Lm	CRI	mA	V
U-T222-COB1	WT   BK	7W	3000K	437	80	150	36
U-T222-COB1	WT   BK	7W	4000K	438	80	150	36
U-T222-COB1	WT   BK	7W	5000K	442	80	150	36
U-T222-COB2	WT   BK	12W	3000K	779	80	300	36
U-T222-COB2	WT   BK	12W	4000K	782	80	300	36
U-T222-COB2	WT   BK	12W	5000K	791	80	300	36
U-T222-COB3	WT   BK	20W	3000K	1582	80	500	36
U-T222-COB3	WT   BK	20W	4000K	1586	80	500	36
U-T222-COB3	WT   BK	20W	5000K	1594	80	500	36
U-T222-COB4	WT   BK	30W	3000K	2302	80	700	36
U-T222-COB4	WT   BK	30W	4000K	2308	80	700	36
U-T222-COB4	WT   BK	30W	5000K	2314	80	700	36







## U-T222-COB-2 Track Light

220V/240V | 50/60 Hz | 355lm | High efficiency | IP20 | CE | UGR <16 | U-T222-COB1-2 | 15° | 24° | 38°

U-T222-COB2-2/3-2/4-2 | 15° | 23° | 38° | 45° | 60°



	W	K	Lm	CRI	mA	V
U-T222-COB1-2   WT   BK	2-7W	3000K	953	80	150	36
U-T222-COB1-2   WT   BK	2-7W	4000K	964	80	150	36
U-T222-COB1-2   WT   BK	2-7W	5000K	958	80	150	36
U-T222-COB2-2   WT   BK	2-12W	3000K	1599	80	300	36
U-T222-COB2-2   WT   BK	2-12W	4000K	1605	80	300	36
U-T222-COB2-2   WT   BK	2-12W	5000K	1612	80	300	36
U-T222-COB3-2   WT   BK	2-20W	3000K	3172	80	500	36
U-T222-COB3-2   WT   BK	2-20W	4000K	3177	80	500	36
U-T222-COB3-2   WT   BK	2-20W	5000K	3184	80	500	36
U-T222-COB4-2   WT   BK	2-30W	3000K	4620	80	700	36
U-T222-COB4-2   WT   BK	2-30W	4000K	4628	80	700	36
U-T222-COB4-2   WT   BK	2-30W	5000K	4635	80	700	36



## U-T213-COB-2 Track Light


















			W	K	Lm	CRI	mA	V
<b>U-T213-COB2-2</b>	<b>  WT   BK  </b>		2-7W	3000K	951	80	350	36
<b>U-T213-COB2-2</b>	<b>  WT   BK  </b>		2-7W	4000K	956	80	350	36
<b>U-T213-COB2-2</b>	<b>  WT   BK  </b>		2-7W	5000K	963	80	350	36
<b>U-T213-COB3-2</b>	<b>  WT   BK  </b>		2-12W	3000K	1579	80	600	36
<b>U-T213-COB3-2</b>	<b>  WT   BK  </b>		2-12W	4000K	1596	80	600	36
<b>U-T213-COB3-2</b>	<b>  WT   BK  </b>		2-12W	5000K	1611	80	600	36



## U-T213-COB-3 Track Light



















			W	K	Lm	CRI	mA	V
<b>U-T213-COB2-3</b>	<b>WT   BK</b>		3-7W	3000K	1440	80	500	36
<b>U-T213-COB2-3</b>	<b>WT   BK</b>		3-7W	4000K	1447	80	500	36
<b>U-T213-COB2-3</b>	<b>WT   BK</b>		3-7W	5000K	1455	80	500	36
<b>U-T213-COB3-3</b>	<b>WT   BK</b>		3-12W	3000K	2365	80	800	36
<b>U-T213-COB3-3</b>	<b>WT   BK</b>		3-12W	4000K	2392	80	800	36
<b>U-T213-COB3-3</b>	<b>WT   BK</b>		3-12W	5000K	2418	80	800	36




## U-D270-COB COB Down Light

U-D270-COB3/5

U-D270-COB4



		W	K	Lm	CRI	mA	V
U-D270-COB3	WT   BK	10W	3000K	861	80	250	36
U-D270-COB3	WT   BK	10W	4000K	870	80	250	36
U-D270-COB3	WT   BK	10W	5000K	876	80	250	36
U-D270-COB4	WT   BK	20W	3000K	1818	80	500	36
U-D270-COB4	WT   BK	20W	4000K	1825	80	500	36
U-D270-COB4	WT   BK	20W	5000K	1833	80	500	36
U-D270-COB5	WT   BK	30W	3000K	2540	80	700	36
U-D270-COB5	WT   BK	30W	4000K	2546	80	700	36
U-D270-COB5	WT   BK	30W	5000K	2553	80	700	36




## U-D272-COB COB Down Light

U-D272-COB3/5

U-D272-COB4



		W	K	Lm	CRI	mA	V
U-D272-COB3	WT   BK	10W	3000K	868	80	250	36
U-D272-COB3	WT   BK	10W	4000K	875	80	250	36
U-D272-COB3	WT   BK	10W	5000K	883	80	250	36
U-D272-COB4	WT   BK	20W	3000K	1659	80	500	36
U-D272-COB4	WT   BK	20W	4000K	1664	80	500	36
U-D272-COB4	WT   BK	20W	5000K	1672	80	500	36
U-D272-COB5	WT   BK	30W	3000K	2558	80	700	36
U-D272-COB5	WT   BK	30W	4000K	2564	80	700	36
U-D272-COB5	WT   BK	30W	5000K	2575	80	700	36







## U-D271-COB COB Down Light

U-D271-COB3/5


U-D271-COB4




		W	K	Lm	CRI	mA	V
U-D271-COB3	WT   BK	10W	3000K	860	80	250	36
U-D271-COB3	WT   BK	10W	4000K	865	80	250	36
U-D271-COB3	WT   BK	10W	5000K	872	80	250	36
U-D271-COB4	WT   BK	20W	3000K	1835	80	500	36
U-D271-COB4	WT   BK	20W	4000K	1844	80	500	36
U-D271-COB4	WT   BK	20W	5000K	1848	80	500	36
U-D271-COB5	WT   BK	30W	3000K	2501	80	700	36
U-D271-COB5	WT   BK	30W	4000K	2511	80	700	36
U-D271-COB5	WT   BK	30W	5000K	2520	80	700	36




## U-D113-COB COB Down Light




220V/240V | 50/60 Hz | 
 24° | 32° | 38° | 
 30° | 355° | 
 High efficiency Alumina-Mirror | 
 IP20 | 
 House | Triangle | 
 CE | UGR <19



			W	K	Lm	CRI	mA	V
U-D113-COB3	WT   BK		8W	3000K	502	80	200	36
U-D113-COB3	WT   BK		8W	4000K	510	80	200	36
U-D113-COB3	WT   BK		8W	5000K	516	80	200	36
U-D113-COB4	WT   BK		12W	3000K	802	80	300	36
U-D113-COB4	WT   BK		12W	4000K	809	80	300	36
U-D113-COB4	WT   BK		12W	5000K	815	80	300	36




## U-D117-COB Ceiling light



220V/240V | 50/60 Hz | 
 15° | 24° | 32° | 38° | 
 30° | 355° | 
 High efficiency Alumina-Mirror | 
 IP20 | 
 House | Triangle | 
 CE | UGR <19






			W	K	Lm	CRI	mA	V
U-D117-COB1	WT   BK		3W	3000K	165	80	600	3
U-D117-COB1	WT   BK		3W	4000K	169	80	600	3
U-D117-COB1	WT   BK		3W	5000K	177	80	600	3
U-D117-COB2	WT   BK		8W	3000K	485	80	200	36
U-D117-COB2	WT   BK		8W	4000K	493	80	200	36
U-D117-COB2	WT   BK		8W	5000K	498	80	200	36
U-D117-COB3	WT   BK		12W	3000K	798	80	300	36
U-D117-COB3	WT   BK		12W	4000K	809	80	300	36
U-D117-COB3	WT   BK		12W	5000K	815	80	300	36



## U-D126-SMD Downlight







	W	K	Lm	CRI	mA	V
<b>U-D126-SMD4</b>   WT   BK	10W	3000K	601	80	300	15-36
<b>U-D126-SMD4</b>   WT   BK	10W	4000K	612	80	300	15-36
<b>U-D126-SMD4</b>   WT   BK	10W	6000K	618	80	300	15-36
<b>U-D126-SMD6</b>   WT   BK	16W	3000K	1161	80	300	45-80
<b>U-D126-SMD6</b>   WT   BK	16W	4000K	1171	80	300	45-80
<b>U-D126-SMD6</b>   WT   BK	16W	6000K	1180	80	300	45-80
<b>U-D126-SMD8</b>   WT   BK	24W	3000K	1679	80	300	45-80
<b>U-D126-SMD8</b>   WT   BK	24W	4000K	1690	80	300	45-80
<b>U-D126-SMD8</b>   WT   BK	24W	6000K	1702	80	300	45-80



## U-D151-SMD Downlight



	W	K	Lm	CRI	mA	V
<b>U-D151-SMD2.5</b>   WT   BK	7W	3000K	400	80	300	15-36
<b>U-D151-SMD2.5</b>   WT   BK	7W	4000K	400	80	300	15-36
<b>U-D151-SMD2.5</b>   WT   BK	7W	6000K	400	80	300	15-36
<b>U-D151-SMD4</b>   WT   BK	10W	3000K	526	80	300	15-36
<b>U-D151-SMD4</b>   WT   BK	10W	4000K	563	80	300	15-36
<b>U-D151-SMD4</b>   WT   BK	10W	6000K	575	80	300	15-36
<b>U-D151-SMD6</b>   WT   BK	16W	3000K	1022	80	300	45-80
<b>U-D151-SMD6</b>   WT   BK	16W	4000K	1031	80	300	45-80
<b>U-D151-SMD6</b>   WT   BK	16W	6000K	1040	80	300	45-80
<b>U-D151-SMD8</b>   WT   BK	24W	3000K	1508	80	300	45-80
<b>U-D151-SMD8</b>   WT   BK	24W	4000K	1516	80	300	45-80
<b>U-D151-SMD8</b>   WT   BK	24W	6000K	1523	80	300	45-80



## U-D026-SMD Downlight














	W	K	Lm	CRI	mA	V
U-D026-SMD2.5   WT   BK	6W	3000K	345	80	300	18-26
U-D026-SMD2.5   WT   BK	6W	4000K	350	80	300	18-26
U-D026-SMD2.5   WT   BK	6W	6000K	356	80	300	18-26
U-D026-SMD3   WT   BK	8W	3000K	465	80	300	18-26
U-D026-SMD3   WT   BK	8W	4000K	470	80	300	18-26
U-D026-SMD3   WT   BK	8W	6000K	482	80	300	18-26
U-D026-SMD4   WT   BK	10W	3000K	755	80	300	24-45
U-D026-SMD4   WT   BK	10W	4000K	768	80	300	24-45
U-D026-SMD4   WT   BK	10W	6000K	782	80	300	24-45
U-D026-SMD5   WT   BK	12W	3000K	902	80	300	24-45
U-D026-SMD5   WT   BK	12W	4000K	913	80	300	24-45
U-D026-SMD5   WT   BK	12W	6000K	920	80	300	24-45
U-D026-SMD6   WT   BK	16W	3000K	1264	80	300	50-80
U-D026-SMD6   WT   BK	16W	4000K	1272	80	300	50-80
U-D026-SMD6   WT   BK	16W	6000K	1280	80	300	50-80
U-D026-SMD8   WT   BK	20W	3000K	1554	80	300	50-80
U-D026-SMD8   WT   BK	20W	4000K	1566	80	300	50-80
U-D026-SMD8   WT   BK	20W	6000K	1573	80	300	50-80



## U-D026-SMD-S Downlight















	W	K	Lm	CRI	mA	V
U-D026-SMD2.5-S   WT   BK	6W	3000K	342	80	300	18-26
U-D026-SMD2.5-S   WT   BK	6W	4000K	350	80	300	18-26
U-D026-SMD2.5-S   WT   BK	6W	6000K	357	80	300	18-26
U-D026-SMD3-S   WT   BK	8W	3000K	466	80	300	18-26
U-D026-SMD3-S   WT   BK	8W	4000K	475	80	300	18-26
U-D026-SMD3-S   WT   BK	8W	6000K	480	80	300	18-26
U-D026-SMD4-S   WT   BK	10W	3000K	785	80	300	24-45
U-D026-SMD4-S   WT   BK	10W	4000K	793	80	300	24-45
U-D026-SMD4-S   WT   BK	10W	6000K	798	80	300	24-45
U-D026-SMD5-S   WT   BK	12W	3000K	901	80	300	24-45
U-D026-SMD5-S   WT   BK	12W	4000K	915	80	300	24-45
U-D026-SMD5-S   WT   BK	12W	6000K	930	80	300	24-45
U-D026-SMD6-S   WT   BK	16W	3000K	1265	80	300	50-80
U-D026-SMD6-S   WT   BK	16W	4000K	1276	80	300	50-80
U-D026-SMD6-S   WT   BK	16W	6000K	1288	80	300	50-80
U-D026-SMD8-S   WT   BK	20W	3000K	1602	80	300	50-80
U-D026-SMD8-S   WT   BK	20W	4000K	1611	80	300	50-80
U-D026-SMD8-S   WT   BK	20W	6000K	1620	80	300	50-80





Adjustable




Fixed




Adjustable



Fixed



## Options



Specular

Matt


White

Black


## U-D268-COB Wall Washer




			W	K	Lm	CRI	mA	V
<b>U-D268-COB3</b>	WT   BK		10W	3000K	828	80	250	36
<b>U-D268-COB3</b>	WT   BK		10W	4000K	834	80	250	36
<b>U-D268-COB3</b>	WT   BK		10W	5000K	840	80	250	36
<b>U-D268-COB4</b>	WT   BK		20W	3000K	1830	80	500	36
<b>U-D268-COB4</b>	WT   BK		20W	4000K	1837	80	500	36
<b>U-D268-COB4</b>	WT   BK		20W	5000K	1841	80	500	36
<b>U-D268-COB5</b>	WT   BK		30W	3000K	2546	80	700	36
<b>U-D268-COB5</b>	WT   BK		30W	4000K	2552	80	700	36
<b>U-D268-COB5</b>	WT   BK		30W	5000K	2560	80	700	36



## U-D274-COB Wall Washer



			W	K	Lm	CRI	mA	V
<b>U-D274-COB3</b>	WT   BK		10W	3000K	828	80	250	36
<b>U-D274-COB3</b>	WT   BK		10W	4000K	834	80	250	36
<b>U-D274-COB3</b>	WT   BK		10W	5000K	840	80	250	36
<b>U-D274-COB4</b>	WT   BK		20W	3000K	1830	80	500	36
<b>U-D274-COB4</b>	WT   BK		20W	4000K	1837	80	500	36
<b>U-D274-COB4</b>	WT   BK		20W	5000K	1841	80	500	36
<b>U-D274-COB5</b>	WT   BK		30W	3000K	2546	80	700	36
<b>U-D274-COB5</b>	WT   BK		30W	4000K	2552	80	700	36
<b>U-D274-COB5</b>	WT   BK		30W	5000K	2560	80	700	36



## U-D125-COB Wall Washer



















			W	K	Lm	CRI	mA	V
U-D125-COB2-6W	WT	BK	6W	3000K	405	80	150	36
U-D125-COB2-6W	WT	BK	6W	4000K	420	80	150	36
U-D125-COB2-6W	WT	BK	6W	5000K	425	80	150	36
U-D125-COB2-10W	WT	BK	10W	3000K	660	80	250	36
U-D125-COB2-10W	WT	BK	10W	4000K	665	80	250	36
U-D125-COB2-10W	WT	BK	10W	5000K	673	80	250	36






## U-D262-COB Wall Washer




25°




220V/240V | 50/60 Hz | 15° | 23° | 38° | 45° | 60° | 25° | 355° | High efficiency Alum-Mirror | IP20 | UGR <19




			W	K	Lm	CRI	mA	V
U-D262-COB4	WT	BK	10W	3000K	756	80	250	36
U-D262-COB4	WT	BK	10W	4000K	762	80	250	36
U-D262-COB4	WT	BK	10W	5000K	770	80	250	36



## U-D263-COB Wall Washer




25°  
355°



220V/240V | 50/60 Hz | 15° | 23° | 38° | 45° | 60° | 25° | 355° | High efficiency Alum-Mirror | IP20 | UGR <15




			W	K	Lm	CRI	mA	V
U-D263-COB4	WT	BK	10W	3000K	755	80	250	36
U-D263-COB4	WT	BK	10W	4000K	761	80	250	36
U-D263-COB4	WT	BK	10W	5000K	769	80	250	36










## U-D269-COB Grille Light

U-D269-COB3/5

U-D269-COB4



		W	K	Lm	CRI	mA	V
U-D269-COB3	WT   BK	10W	3000K	829	80	250	36
U-D269-COB3	WT   BK	10W	4000K	834	80	250	36
U-D269-COB3	WT   BK	10W	5000K	841	80	250	36
U-D269-COB3-2	WT   BK	2x10W	3000K	1658	80	250	36
U-D269-COB3-2	WT   BK	2x10W	4000K	1668	80	250	36
U-D269-COB3-2	WT   BK	2x10W	5000K	1682	80	250	36
U-D269-COB3-3	WT   BK	2x10W	3000K	2487	80	250	36
U-D269-COB3-3	WT   BK	2x10W	4000K	2502	80	250	36
U-D269-COB3-3	WT   BK	2x10W	5000K	2523	80	250	36
U-D269-COB4	WT   BK	20W	3000K	1660	80	500	36
U-D269-COB4	WT   BK	20W	4000K	1671	80	500	36
U-D269-COB4	WT   BK	20W	5000K	1676	80	500	36
U-D269-COB4-2	WT   BK	2x20W	3000K	3320	80	500	36
U-D269-COB4-2	WT   BK	2x20W	4000K	3342	80	500	36
U-D269-COB4-2	WT   BK	2x20W	5000K	3352	80	500	36
U-D269-COB5	WT   BK	30W	3000K	2493	80	700	36
U-D269-COB5	WT   BK	30W	4000K	2502	80	700	36
U-D269-COB5	WT   BK	30W	5000K	2509	80	700	36
U-D269-COB5-2	WT   BK	2x30W	3000K	4986	80	700	36
U-D269-COB5-2	WT   BK	2x30W	4000K	5005	80	700	36
U-D269-COB5-2	WT   BK	2x30W	5000K	5018	80	700	36





## U-D001-COB Adjustable Spotlight

220V/240V | 50/60 Hz | 25° | 40° | 60° | 350° | 60° | High efficiency Alum-Mirror | IP20 | UGR <16



			W	K	Lm	CRI	mA	V
U-D001-COB4	WT   BK		25W	3000K	1862	80	600	36
U-D001-COB4	WT   BK		25W	4000K	1895	80	600	36
U-D001-COB4	WT   BK		25W	5000K	1902	80	600	36
U-D001-COB6	WT   BK		40W	3000K	2932	80	1000	36
U-D001-COB6	WT   BK		40W	4000K	2950	80	1000	36
U-D001-COB6	WT   BK		40W	5000K	2975	80	1000	36





## U-D080-COB Adjustable Spotli

220V/240V | 50/60 Hz | 15° | 23° | 40° | 350° | 60° | High efficiency Alum-Mirror | IP20 | UGR <16







			W	K	Lm	CRI	mA	V
U-D080-COB3	WT   BK		15W	3000K	1095	80	350	36
U-D080-COB3	WT   BK		15W	4000K	1124	80	350	36
U-D080-COB3	WT   BK		15W	5000K	1150	80	350	36
U-D080-COB4	WT   BK		25W	3000K	1925	80	600	36
U-D080-COB4	WT   BK		25W	4000K	2931	80	600	36
U-D080-COB4	WT   BK		25W	5000K	1937	80	600	36
U-D080-COB5	WT   BK		35W	3000K	2710	80	800	36
U-D080-COB5	WT   BK		35W	4000K	2726	80	800	36
U-D080-COB5	WT   BK		35W	5000K	2745	80	800	36
U-D080-COB6	WT   BK		50W	3000K	3837	80	1100	36
U-D080-COB6	WT   BK		50W	4000K	3860	80	1100	36
U-D080-COB6	WT   BK		50W	5000K	3872	80	1100	36



## U-D089-COB Surface Mounted



			W	K	Lm	CRI	mA	V
U-D089-COB1	WT   BK		7W	3000K	436	80	150	36
U-D089-COB1	WT   BK		7W	4000K	443	80	150	36
U-D089-COB1	WT   BK		7W	5000K	450	80	150	36
U-D089-COB2	WT   BK		12W	3000K	788	80	300	36
U-D089-COB2	WT   BK		12W	4000K	796	80	300	36
U-D089-COB2	WT   BK		12W	5000K	801	80	300	36
U-D089-COB3	WT   BK		20W	3000K	1581	80	500	36
U-D089-COB3	WT   BK		20W	4000K	1588	80	500	36
U-D089-COB3	WT   BK		20W	5000K	1597	80	500	36
U-D089-COB4	WT   BK		30W	3000K	2315	80	700	36
U-D089-COB4	WT   BK		30W	4000K	2321	80	700	36
U-D089-COB4	WT   BK		30W	5000K	2328	80	700	36







## U-D089-COB-S Surface Mounted















220V/240V | 
 50/60 Hz | 
 15° | 
 24° | 
 38° | 
 90° | 
 355° | 
 High Efficiency Alu+Mirror | 
 IP20 | 
 | 
 | 
 CE | 
 UGR <16



			W	K	Lm	CRI	mA	V
U-D089-COB1S	WT	BK	7W	3000K	437	80	150	36
U-D089-COB1S	WT	BK	7W	4000K	444	80	150	36
U-D089-COB1S	WT	BK	7W	5000K	449	80	150	36
U-D089-COB2S	WT	BK	12W	3000K	791	80	300	36
U-D089-COB2S	WT	BK	12W	4000K	796	80	300	36
U-D089-COB2S	WT	BK	12W	5000K	801	80	300	36
U-D089-COB3S	WT	BK	20W	3000K	1581	80	500	36
U-D089-COB3S	WT	BK	20W	4000K	1588	80	500	36
U-D089-COB3S	WT	BK	20W	5000K	1597	80	500	36
U-D089-COB4S	WT	BK	30W	3000K	2115	80	700	36
U-D089-COB4S	WT	BK	30W	4000K	2121	80	700	36
U-D089-COB4S	WT	BK	30W	5000K	2128	80	700	36







## U-D088-COB Surface Mounted



			W	K	Lm	CRI	mA	V
U-D088-COB1	WT   BK		7W	3000K	439	80	150	36
U-D088-COB1	WT   BK		7W	4000K	442	80	150	36
U-D088-COB1	WT   BK		7W	5000K	446	80	150	36
U-D088-COB2	WT   BK		12W	3000K	791	80	300	36
U-D088-COB2	WT   BK		12W	4000K	797	80	300	36
U-D088-COB2	WT   BK		12W	5000K	805	80	300	36
U-D088-COB3	WT   BK		20W	3000K	1579	80	500	36
U-D088-COB3	WT   BK		20W	4000K	1586	80	500	36
U-D088-COB3	WT   BK		20W	5000K	1595	80	500	36
U-D088-COB4	WT   BK		30W	3000K	2310	80	700	36
U-D088-COB4	WT   BK		30W	4000K	2315	80	700	36
U-D088-COB4	WT   BK		30W	5000K	2320	80	700	36



## U-D088-COBS Surface Mounted






















	W	K	Lm	CRI	mA	V
U-D088-COB1-S   WT   BK	7W	3000K	439	80	150	36
U-D088-COB1-S   WT   BK	7W	4000K	445	80	150	36
U-D088-COB1-S   WT   BK	7W	5000K	448	80	150	36
U-D088-COB2-S   WT   BK	12W	3000K	792	80	300	36
U-D088-COB2-S   WT   BK	12W	4000K	798	80	300	36
U-D088-COB2-S   WT   BK	12W	5000K	805	80	300	36
U-D088-COB3-S   WT   BK	20W	3000K	1579	80	500	36
U-D088-COB3-S   WT   BK	20W	4000K	1587	80	500	36
U-D088-COB3-S   WT   BK	20W	5000K	1593	80	500	36
U-D088-COB4-S   WT   BK	30W	3000K	2113	80	700	36
U-D088-COB4-S   WT   BK	30W	4000K	2118	80	700	36
U-D088-COB4-S   WT   BK	30W	5000K	2124	80	700	36



## U-D273-COB Surface Mounted


















			W	K	Lm	CRI	mA	V
U-D273-COB4	WT   BK		10W	3000K	731	80	250	36
U-D273-COB4	WT   BK		10W	4000K	735	80	250	36
U-D273-COB4	WT   BK		10W	5000K	745	80	250	36
U-D273-COB5	WT   BK		20W	3000K	1472	80	500	36
U-D273-COB5	WT   BK		20W	4000K	1478	80	500	36
U-D273-COB5	WT   BK		20W	5000K	1485	80	500	36
U-D273-COB6	WT   BK		30W	3000K	2220	80	700	36
U-D273-COB6	WT   BK		30W	4000K	2227	80	700	36
U-D273-COB6	WT   BK		30W	5000K	2234	80	700	36



## U-D275-COB Surface Mounted


















			W	K	Lm	CRI	mA	V
U-D275-COB4	WT   BK		15W	3000K	1095	80	350	36
U-D275-COB4	WT   BK		15W	4000K	1099	80	350	36
U-D275-COB4	WT   BK		15W	5000K	1105	80	350	36
U-D275-COB5	WT   BK		25W	3000K	1850	80	600	36
U-D275-COB5	WT   BK		25W	4000K	1856	80	600	36
U-D275-COB5	WT   BK		25W	5000K	1863	80	600	36
U-D275-COB6	WT   BK		35W	3000K	2590	80	800	36
U-D275-COB6	WT   BK		35W	4000K	2605	80	800	36
U-D275-COB6	WT   BK		35W	5000K	2608	80	800	36





## U-D088-COB-X Surface Mounted



















		W	K	Lm	CRI	mA	V
U-D088-COB1-X	WT   BK	7W	3000K	439	80	150	36
U-D088-COB1-X	WT   BK	7W	4000K	446	80	150	36
U-D088-COB1-X	WT   BK	7W	5000K	449	80	150	36
U-D088-COB2-X	WT   BK	12W	3000K	791	80	300	36
U-D088-COB2-X	WT   BK	12W	4000K	795	80	300	36
U-D088-COB2-X	WT   BK	12W	5000K	802	80	300	36
U-D088-COB3-X	WT   BK	20W	3000K	1579	80	500	36
U-D088-COB3-X	WT   BK	20W	4000K	1586	80	500	36
U-D088-COB3-X	WT   BK	20W	5000K	1593	80	500	36
U-D088-COB4-X	WT   BK	30W	3000K	2310	80	700	36
U-D088-COB4-X	WT   BK	30W	4000K	2314	80	700	36
U-D088-COB4-X	WT   BK	30W	5000K	2320	80	700	36



## U-D088-COBS-X Surface Mounted

	W	K	Lm	CRI	mA	V
<b>U-D088-COB1S-X   WT   BK  </b>	7W	3000K	434	80	150	36
<b>U-D088-COB1S-X   WT   BK  </b>	7W	4000K	436	80	150	36
<b>U-D088-COB1S-X   WT   BK  </b>	7W	5000K	443	80	150	36
<b>U-D088-COB2S-X   WT   BK  </b>	12W	3000K	781	80	300	36
<b>U-D088-COB2S-X   WT   BK  </b>	12W	4000K	789	80	300	36
<b>U-D088-COB2S-X   WT   BK  </b>	12W	5000K	794	80	300	36
<b>U-D088-COB3S-X   WT   BK  </b>	20W	3000K	1579	80	500	36
<b>U-D088-COB3S-X   WT   BK  </b>	20W	4000K	1587	80	500	36
<b>U-D088-COB3S-X   WT   BK  </b>	20W	5000K	1593	80	500	36
<b>U-D088-COB4S-X   WT   BK  </b>	30W	3000K	2108	80	700	36
<b>U-D088-COB4S-X   WT   BK  </b>	30W	4000K	2114	80	700	36
<b>U-D088-COB4S-X   WT   BK  </b>	30W	5000K	2120	80	700	36



## U-D088-COB-P/L Surface Mounted






















	W	K	Lm	CRI	mA	V
U-D088-COB1-P/L   WT   BK	7W	3000K	435	80	150	36
U-D088-COB1-P/L   WT   BK	7W	4000K	438	80	150	36
U-D088-COB1-P/L   WT   BK	7W	5000K	542	80	150	36
U-D088-COB2-P/L   WT   BK	12W	3000K	791	80	300	36
U-D088-COB2-P/L   WT   BK	12W	4000K	795	80	300	36
U-D088-COB2-P/L   WT   BK	12W	5000K	802	80	300	36
U-D088-COB3-P/L   WT   BK	20W	3000K	1579	80	500	36
U-D088-COB3-P/L   WT   BK	20W	4000K	1586	80	500	36
U-D088-COB3-P/L   WT   BK	20W	5000K	1593	80	500	36
U-D088-COB4-P/L   WT   BK	30W	3000K	2310	80	700	36
U-D088-COB4-P/L   WT   BK	30W	4000K	2314	80	700	36
U-D088-COB4-P/L   WT   BK	30W	5000K	2320	80	700	36



U-D088-COB-P



U-D088-COB-L



## U-D088-COBS-P/L Surface Mounted



















	W	K	Lm	CRI	mA	V
U-D088-COB1S-P/L   WT   BK	7W	3000K	434	80	150	36
U-D088-COB1S-P/L   WT   BK	7W	4000K	438	80	150	36
U-D088-COB1S-P/L   WT   BK	7W	5000K	845	80	150	36
U-D088-COB2S-P/L   WT   BK	12W	3000K	792	80	300	36
U-D088-COB2S-P/L   WT   BK	12W	4000K	799	80	300	36
U-D088-COB2S-P/L   WT   BK	12W	5000K	803	80	300	36
U-D088-COB3S-P/L   WT   BK	20W	3000K	1579	80	500	36
U-D088-COB3S-P/L   WT   BK	20W	4000K	1587	80	500	36
U-D088-COB3S-P/L   WT   BK	20W	5000K	1593	80	500	36
U-D088-COB4S-P/L   WT   BK	30W	3000K	2107	80	700	36
U-D088-COB4S-P/L   WT   BK	30W	4000K	2115	80	700	36
U-D088-COB4S-P/L   WT   BK	30W	5000K	2120	80	700	36



## U-D212-COB Surface Mounted























	W	K	Lm	CRI	mA	V
U-D212-COB2   WT   BK	7W	3000K	436	80	150	36
U-D212-COB2   WT   BK	7W	4000K	440	80	150	36
U-D212-COB2   WT   BK	7W	5000K	447	80	150	36
U-D212-COB3   WT   BK	12W	3000K	788	80	300	36
U-D212-COB3   WT   BK	12W	4000K	797	80	300	36
U-D212-COB3   WT   BK	12W	5000K	806	80	300	36
U-D212-COB4   WT   BK	20W	3000K	1584	80	500	36
U-D212-COB4   WT   BK	20W	4000K	1590	80	500	36
U-D212-COB4   WT   BK	20W	5000K	1601	80	500	36
U-D212-COB5   WT   BK	30W	3000K	2316	80	700	36
U-D212-COB5   WT   BK	30W	4000K	2322	80	700	36
U-D212-COB5   WT   BK	30W	5000K	2330	80	700	36



## U-D212-COB-2 Surface Mounted




















	W	K	Lm	CRI	mA	V
U-D212-COB2-2   WT   BK	2-7W	3000K	938	80	350	36
U-D212-COB2-2   WT   BK	2-7W	4000K	946	80	350	36
U-D212-COB2-2   WT   BK	2-7W	5000K	950	80	350	36
U-D212-COB3-2   WT   BK	2-12W	3000K	1576	80	600	36
U-D212-COB3-2   WT   BK	2-12W	4000K	1594	80	600	36
U-D212-COB3-2   WT   BK	2-12W	5000K	1612	80	600	36



## U-D212-COB-3 Surface Mounted


















	W	K	Lm	CRI	mA	V
U-D212-COB2-3   WT   BK	3-7W	3000K	1428	80	500	36
U-D212-COB2-3   WT   BK	3-7W	4000K	1435	80	500	36
U-D212-COB2-3   WT   BK	3-7W	5000K	1446	80	500	36
U-D212-COB3-3   WT   BK	3-12W	3000K	2364	80	800	36
U-D212-COB3-3   WT   BK	3-12W	4000K	2391	80	800	36
U-D212-COB3-3   WT   BK	3-12W	5000K	2418	80	800	36



## U-D107-24PM Linear Light

















				W	K	Lm	CRI	mA	V
U-D107-24PM	WT   BK	UP	10W	3000K	971	80	700	27-54	
		DOWN	20W	3000K	1950	80	700	27-54	
U-D107-24PM	WT   BK	UP	10W	4000K	978	80	700	27-54	
		DOWN	20W	4000K	1966	80	700	27-54	
U-D107-24PM	WT   BK	UP	10W	6000K	985	80	700	27-54	
		DOWN	20W	6000K	1979	80	700	27-54	
U-D107-24PM-X	WT   BK	DOWN	20W	3000K	1950	80	500	30-50	
U-D107-24PM-X	WT   BK	DOWN	20W	4000K	1966	80	500	30-50	
U-D106-24PM-X	WT   BK	DOWN	20W	6000K	1979	80	500	30-50	





220V/240V | 50/60 Hz | 12° | 34° | 48° | High efficiency Aura-Mirror | IP20 | UGR <18



				W	K	Lm	CRI	mA	V
U-D107-42P	WT   BK	UP	12W	3000K	620	80	1050	27-54	
		DOWN	30W	3000K	2770	80			
U-D107-42P	WT   BK	UP	12W	4000K	631	80	1050	27-54	
		DOWN	30W	4000K	2785	80			
U-D107-42P	WT   BK	UP	12W	6000K	642	80	1050	27-54	
		DOWN	30W	6000K	2800	80			
U-D107-42P-X	WT   BK	DOWN	30W	3000K	2771	80	700	30-50	
U-D107-42P-X	WT   BK	DOWN	30W	4000K	2786	80	700	30-50	
U-D106-42P-X	WT   BK	DOWN	30W	6000K	2805	80	700	30-50	

